

APPENDIX A REFERENCES

1. TM 5-822-7/AFM 88-6, Chap.8, Standard Practice for Concrete Pavements.
2. TI 822-08/AFMAN, 32-1131V8(I)), Standard Practice Manual for Flexible Pavements.
3. ER 1110-345-100, Design Policy for Military Construction.
4. CEGS-02749, Hot-Mix Asphalt (HMA) for Airfields.
5. Abichou, T. Benson C. H., and Edil T. B. (1998). "Database on Beneficial Reuse of Foundry By-Products," *Recycled Materials in Geotechnical Applications*, ASCE Special Publication No. 79, pp. 210 - 223, C. Vipulanandan and David J. Elton, Eds., Reston, VA.
6. Ahmed, I. (1991). "Use of Waste Materials in Highway Construction," Final Report, Joint Highway Research Project, FHWA/IN/JHRP-91/3, Purdue University, West Lafayette, IN.
7. Ahmed, I. and Lovell, C. W. (1992). "Use of Rubber Tires in Highway Construction," *Utilization of Waste Materials in Civil Engineering Construction*, pp. 166-181, Hilary Inyang and Kenneth Bergeson, American Society of Civil Engineers, NY.
8. Ali, N., Chan, S. S., Potyondy, A. J., Bushman, R., and Bergan, A. T. (1995). "Mechanistic Evaluation of Asphalt Concrete Mixtures Containing Reclaimed Roofing Materials," Transportation Research Board (TRB), Record No. 1515, pp. 28-36, National Research Council, Washington, DC.
9. American City and County. (1997). "Solid Waste - City Uses Glass Cullets for Road Construction Aggregate," *American City and County Magazine*, April, pp. 18, Pittsfield, MA.
10. American Coal Ash Association. (1992). "1992 Coal Combustion By-Product Production and Consumption," Washington, D.C.
11. ASCE (1998). "Cleaner Fly Ash Makes Better Concrete," *Civil Engineering Magazine*, September, Volume 68, Number 9, pp. 28, American Society of Civil Engineers, Reston, VA.
12. Baker, R. F. and Connolly, E. (1995). "Mix Designs and Air Quality Emissions Tests of Crumb Rubber Modified Asphalt Concrete," Transportation Research Board (TRB), Record No. 1515, pp. 18-27, National Research Council, Washington, DC.
13. Bernal, A., Swan, R. H. Jr., Salgado, R., and Lovell, C. W. (1997). "Pullout Testing of Geogrids in Tire Shreds and Rubber-Sand," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 109-121, Mark A. Wasemiller and Keith B. Hodinott, Eds., West Conshohocken, PA.

15 Sept 99

14. Bhat, S. T. and Lovell, C. W. (1997). "Flowable Fill Using Waste Foundry Sand: A Substitute for Compacted or Stabilized Soil," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 26-41, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.
15. Bhatt, J., Malisci, I., and Reid, K. (1992). "Sludge Ash Pellets as Coarse Aggregates in Concrete," ASTM, *Cement Concrete and Aggregates*, Volume 14, No. 1, pp. 55-61, American Society for Testing and Materials, Philadelphia, PA.
16. Bosscher, P. J., Edil, T. B., and Eldin, N. N. (1992). "Construction and Performance of a Shredded Waste Tire Test Embankment," Transportation Research Board (TRB), Record No. 1345, pp. 44-52, National Research Council, Washington, DC.
17. Ciesielski, S. K. (1995). "Using Waste Materials in Paving Projects," *Pavement Maintenance Magazine*, September, Volume 10, Number 7, pp. 424-429, Addison, IL.
18. Ciesielski, S. K. and Collins, R. J. (1993). "Current Nationwide Status of the Use of Waste Materials in Hot Mix Asphalt Mixtures and Pavements," *Use of Waste Materials in Hot-Mix Asphalt*, ASTM STP 1193, H. Fred Waller, Ed., American Society for Testing and Materials, Philadelphia, PA.
19. Collins, R. J. and Ciesielski, S. K. (1994). "Recycling and Use of Waste Materials and By-Products in Highway Construction," Synthesis of Highway Practice 199, National Cooperative Research Program (NCHRP), Transportation Research Board, Washington, DC.
20. Collins, R. J. and Miller, R. H. (1976). "Availability of Mining Wastes and Their Potential for Use as Highway Material - Volume I - Classification and Technical and Environmental Analysis," FHWA-RD-76-106, Federal Highway Administration, Washington, DC.
21. Decker, D. S. (1994). "Evaluating the Use of Waste Materials in Hot-Mix Asphalt," *Journal of the Association of Asphalt Paving Technologists*, Volume 63, Pg: 13-21, St. Louis, MO.
22. Edil, T. and Bosscher, P. (1994). "Engineering Properties of Waste Tire Chips and Soil Mixtures," *Geotechnical Testing Journal*, ASTM, Vol No. 17, No. 4, pp. 453 - 464, Philadelphia, PA.
23. Epps, J. A. (1994). "Uses of Recycled Rubber Tires in Highways," Synthesis of Highway Practice 198, National Cooperative Research Program (NCHRP), Transportation Research Board, Washington, DC.
24. Emery, J. (1995). "Evaluation of Rubber Modified Asphalt Demonstration Projects," Transportation Research Board (TRB), Record No. 1515, pp. 37-46, National Research Council, Washington, DC.
25. Engineering News Record (ENR). (1986). "Alaskan Engineers Put Their Chips on Highway," November 6, pp. 20 and 24.

26. Engineering Technical Letter (ETL). (1998). "Use of Petroleum Contaminated Soil in Cold-Mix Asphalt Stabilized Base Course," ETL 1110-3-487, Department of the Army, U.S. Army Corps of Engineers, Washington, DC.
27. Epps, J. A. and Paulson, G. L. (1986). "Use of Roofing Wastes in Asphalt Paving Mixtures - Economic Consideration," Report 709-2, Center for Construction Materials Research, University of Nevada-Reno, February, NV.
28. Federal Highway Administration (FHWA). (1993). "A Study of the Use of Recycled Paving Material - Report to Congress," FHWA-RD-93-147, pp. 1-34, Washington, DC.
29. Fox, P. J., Mast, D. G., Partridge, B. K. Jr., and Alleman, J. E. Jr. (1997). "Salvaged Sand," Civil Engineering Magazine, November, pp. 53-55, Reston, VA.
30. Foxworthy, P. T., Ott, E., and Seals R. K. (1994). "Utilization of Phosphogypsum-Based Slag Aggregate in Portland Cement Concrete Mixtures," Transportation Research Board (TRB), Record No. 1437, pp. 19-26, National Research Council, Washington, DC.
31. Fwa, T. F. and Aziz, N. K. (1995). "Use of Incinerator Residue in Asphalt Mixtures," Transportation Research Board (TRB), Record No. 1515, pp. 64-71, National Research Council, Washington, DC.
32. Goodwin, R. W. (1992). "Resolving Environmental Concerns: Ash Beneficial Reuse," *Utilization of Waste Materials in Civil Engineering Construction*, pp. 22-31, Hilary Inyang and Kenneth Bergeson, American Society of Civil Engineers, NY.
33. Gowda, G. V., Hall, K. D., and Elliott, R. P. (1996). "Arkansas Experience with Crumb Rubber Modified Mixes Using Marshall and Strategic Highway Research Program Level I Design Methods," Transportation Research Board (TRB), Record No. 1530, pp. 25-33, National Research Council, Washington, DC.
34. Gupta, J. D., Kneller, W. A., Tamirisa, R., and Skrzypczak-Jankun, E. (1994). "Characterization of Base and Subbase Iron and Steel Slag Aggregates Causing Deposition of Calcareous Tufa in Drains," Transportation Research Board (TRB), Record No. 1434, pp. 8-16, National Research Council, Washington, DC.
35. Halstead, W. J. (1986). "Use of Fly Ash in Concrete," Synthesis of Highway Practice 127, National Cooperative Research Program (NCHRP), Transportation Research Board, Washington, DC.
36. Hansen, K. R. and Anderton, G. (1993). "A Laboratory Evaluation of Recycled Tire Rubber in Hot-Mix Asphalt Paving Systems," ASTM STP 1193, Use of Waste Materials in Hot-Mix Asphalt, pp. 69-83, H. Fred Waller, Ed., American Society of Testing and Materials, West Conshohocken, PA.

15 Sept 99

37. Heitzman, M. A. (1992). "State of the Practice - Design and Construction of Asphalt Paving Materials with Crumb Rubber," Federal Highway Administration (FHWA), FHWA-SA-92-022, Washington, DC.
38. Hughes, M. L. and Halliburton, J. A. (1973). "Use of Zinc Smelter Waste as Highway Construction Material," HRB Record Number 430, pp. 16-25, National Academy of Sciences, Washington, DC.
39. Humphrey, D. N., Katz, L. E., and Blumenthal, M. (1997). "Water Quality Effects of Tire Chip Fills Placed Above the Groundwater Table," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 299-313, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.
40. Humphrey, D. N., Whetten, N., Weaver, J., Recker, K., and Cosgrove, T. A. (1998). "Tire Shreds as Lightweight Fill for Embankments and Retaining Walls," *Recycled Materials in Geotechnical Applications*, ASCE Special Publication No. 79, pp. 51 - 65, C. Vipulanandan and David J. Elton, Eds., Reston, VA.
41. Javed, S., Lovell, C. W., and Wood, L. E. (1994). "Waste Foundry Sand in Asphalt Concrete," Transportation Research Board (TRB), Record No. 1437, pp. 27-34, National Research Council, Washington, DC.
42. Khedaywi, T. S. (1988). "Effect of Inclusion of Oil Shale Ash on Behavior of Asphalt Concrete," Transportation Research Board (TRB), Record No. 1171, pp. 199-205, National Research Council, Washington, DC.
43. Khera, R. P. and So, L. T. (1997). "Effect of Slag on Shear Strength of Calcium Bentonite," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 16-25, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.
44. Kneller, W. A., Gupta, J., Borkowski, M. L., and Dollimore, D. (1994). "Determination of Original Free Lime Content of Weathered Iron and Steel Slags by Thermogravimetric Analysis," Transportation Research Board (TRB), Record No. 1434, pp. 17-22, National Research Council, Washington, DC.
45. Kouda, M. (1996). "Experimental Pavement Using Household Waste Slag," *Waste Management*, Volume 16, Nos 5/6, pp. 461-474, Great Britain.
46. Kumar, D. S. and Hudson, W. R. (1993). "Potential Uses for Quarry Fines," *Stone Review*, National Stone Association, June 1993, pp-13-15, Washington, DC.
47. Lea, R., Faschan, A., and Tittlebaum, M. (1992). "Environmental Monitoring Plan for a Pilot Study Using Phosphogypsum as a Roadbed Material," *Utilization of Waste Materials in Civil Engineering Construction*, pp. 128-139, Hilary Inyang and Kenneth Bergeson, American Society of Civil Engineers, NY.

48. Leask, A. (1983). "Question II: Construction and Maintenance of Pavements," XVII World Road Congress, Permanent International Association of Road Congresses (PIARC), pp. 1-21, Sydney, Australia.
49. Lee, M. T. and Nicholson, P. G. (1997). "An Engineering Test Program of MSW Ash Mixed with Quarry Tailings for Use as a Landfill Construction Material," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 205-218, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.
50. Lee, S. W. and Fishman, K. L. (1993). "Waste Products as Highway Materials in Flexible Pavement System," ASCE - Journal of Transportation Engineering, Vol. 119, No. 3, pp. 433-449.
51. Liang, Z. Z., Woodhams, R. T., Wang, Z. N., and Harbinson, B. F. (1993). "Utilization of Recycled Polyethylene in the Preparation of Stabilized, High Performance Modified Asphalt Binders," ASTM STP 1193, *Use of Waste Materials in Hot-Mix Asphalt*, pp. 197-209, H. Fred Waller, Ed., American Society of Testing and Materials, West Conshohocken, PA.
52. Lin, C. and Zhang, X. (1992). "Use of Cement Kiln Dust, Fly Ash, and Recycling Technique in Low-Volume Road Rehabilitation," Transportation Research Board (TRB), Record No. 1345, pp. 19-27, National Research Council, Washington, DC.
53. Little, D. N. (1993). "Enhancement of Asphalt Concrete Mixtures to Meet Structural Requirements Through the Addition of Recycled Polyethylene," ASTM STP 1193, *Use of Waste Materials in Hot-Mix Asphalt*, pp. 210-230, H. Fred Waller, Ed., American Society of Testing and Materials, West Conshohocken, PA.
54. Lum, K. M. and Tay, J. H. (1992). "A Study on the Utilization of Incinerator Residue for Asphalt Concrete," *Proceedings of Utilization of Waste Materials in Civil Engineering Construction*, pp 217-229, American Society of Civil Engineers, New York, NY.
55. Lundy, J. R., Hicks, R. G., and Zhou, H. (1993). "Ground Rubber Tires in Asphalt-Concrete Mixtures," ASTM STP 1193, *Use of Waste Materials in Hot-Mix Asphalt*, pp. 262-275, H. Fred Waller, Ed., American Society of Testing and Materials, West Conshohocken, PA.
56. Malisch, W., Day, D., and Wixson, B. (1970). "Use of Domestic Waste Glass as Aggregate in Bituminous Concrete," Highway Research Record, No. 307, National Academy of Sciences, Washington, DC.
57. McMahon, S. G. (1997). "A Valuable Product from a Construction and Demolition Facility," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 54-61, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.
58. Meegoda, N. J. and Mueller, R. T. (1993). "Petroleum Contaminated Soils in Highway Construction," Symposium Proceedings: Recovery and Effective Reuse of Discarded Materials and By-Products for Construction of Highway Facilities, pp. 4-83 - 4-95, Denver, CO.

15 Sept 99

59. Meegoda, N. J., Mueller, R. T., Huang, D., DuBose, B. H., Chen, Y., and Chuang, K. (1993). "Petroleum Contaminated Soils in Hot-Mix Asphalt Concrete - An Overview," ASTM STP 1193, Use of Waste Materials in Hot-Mix Asphalt, pp. 183-194, H. Fred Waller, Ed., American Society of Testing and Materials, West Conshohocken, PA.
60. Mehta, P. K. (1992). "Rice Husk Ash — A Unique Supplementary Cementing Material," Canada Centre for Material and Energy Technology, *Advances in Concrete Technology*, pp. 407-432, Ottawa, Canada.
61. Miller, G. A., Azad, S., and Dhar, B. (1997). "The Effect of Kiln Dust on the Collapse Potential of Compacted Shale," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 232-245, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.
62. Miller, R. H. and Collins, R. J. (1976). "Waste Materials as Potential Replacements for Highway Aggregates," National Cooperative Research Program (NCHRP), Report No. 166, Transportation Research Board, National Research Council, Washington, DC.
63. Morrison, G. R., Van Der Stel, R., and Hesp, S. A. M. (1995). "Modification of Asphalt Binders and Asphalt Concrete Mixes With Crumb and Chemically Devulcanized Waste Rubber," Transportation Research Board (TRB), Record No. 1515, pp. 56-63, National Research Council, Washington, DC.
64. Morse, D. (1989). "Sludge in the Nineties," *Civil Engineering*, August, Volume 59, Number 8, pp. 47-50.
65. Mulder, E. (1996). "A Mixture of Fly Ashes as Road Base Construction Material," *Waste Management Magazine*, Volume 16, Numbers 1-3, pp. 15-19, Great Britain.
66. National Solid Wastes Management Association (NSWMA). (1989). "Landfill Capacity in the Year 2000," Washington, DC.
67. National Solid Wastes Management Association (NSWMA). (1990). "Recycling in the States," Washington, DC.
68. Neeley, W. E. (1990). "Contaminated Soil Recycled in Road Mix," *Soils Magazine*, November-December, pp. 7, 28-30, Independence, Missouri.
69. Nelson, D. S. and Allen, W. L., Jr. (1974). "Sawdust as Light-Weight Fill Material," Federal Highway Administration, Report No. FHWA-RD-74-502, Washington, DC.
70. Newcomb, D. E. and Drescher, A. (1994). "Engineering Properties of Shredded Tires in Lightweight Fill Applications," Transportation Research Board (TRB), Record No. 1437, pp. 1-7, National Research Council, Washington, DC.
71. Newcomb, D. E., Stroup-Gardiner, M., Weikle, B. M., and Drescher, A. (1993). "Properties of Dense-Graded and Stone-Mastic Asphalt Mixtures Containing Roofing Shingles," ASTM STP

1193, Use of Waste Materials in Hot-Mix Asphalt, pp. 145-158, H. Fred Waller, Ed., American Society of Testing and Materials, West Conshohocken, PA.

72. Nicholson, L. D. (1998). "Rubberized Asphalt," Public Works, Volume 129, Number 10, pp. 52-54, Ridgewood, NJ.

73. Nickolson, P. G. and Ding, M. (1997). "Improvement of Tropical Soils With Waste Ash and Lime," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 195-204, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.

74. Nightingale, D. E. B. and Green, W. P. (1997). "An Unresolved Riddle: Tire Chips, Two Roadbeds, and Spontaneous Reactions," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 265-285, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.

75. Papp, W. J. Jr., Maher, M. H., and Baker, R. F. (1997). "Use of Shredded Tires in the Subbase Layer of Asphalt Pavements," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 286-298, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.

76. Raghu, D., Hsieh, H., Basim, S., and Morgan, M. (1997). "Physical Characteristics of Water Treatment Plant Residual and Top Soil Mixtures," STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, ASTM, West Conshohocken, PA.

77. Ratz, J. W., Downey, D. C., and Marchand, E. G. (1997). "For Whom the Bugs Toil," Civil Engineering Magazine, September, pp. 53-55, Reston, VA.

78. Rebala, S. R. and Estakhri C. K. (1995). "Laboratory Evaluation of Crumb Rubber Modified Mixtures Designed Using TxDOT Mixture Design Method," Transportation Research Board (TRB), Record No. 1515, pp. 1-10, National Research Council, Washington, DC.

79. Rivard-Lentz, D. J., Sweeney, L. R., and Demars, K. R. (1997). "Incinerator Bottom Ash as a Soil Substitute: Physical and Chemical Behavior," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 246-262, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.

80. Ramaswamy, S. D. and Aziz, M. A. (1992). "Some Waste Materials in Road Construction," *Utilization of Waste Materials in Civil Engineering Construction*, pp. 153-165, Hilary Inyang and Kenneth Bergeson, American Society of Civil Engineers, NY.

81. Roads and Bridges. (1998). "Everything and the kitchen sink," Volume 36, Number 10, October, pp. 46-47, Des Plaines, IL.

82. Schriefer, J. (1997). "Reaping the Value from Dust and Slag," New Steel Magazine, February, pp. 24-33, New York, NY.

15 Sept 99

83. Shelburne, W. M. and DeGroot, D. J. (1998). "The Use of Waste and Recycled Materials in Highway Construction," *Journal of the Boston Society of Civil Engineers Section/ASCE, Civil Engineering Practice*, Vol. 13, No. 1, pp. 5-16, MA.
84. Shin, C. J. and Sonntag, V. (1994). "Using Recovered Glass as Construction Aggregate Feedstock," *Transportation Research Board (TRB), Record No. 1437*, pp. 8-18, National Research Council, Washington, DC.
85. Shoenberger, J. E. (1999). "Use of Diesel Contaminated Soil and Contaminated Asphalt Materials for Pavement Construction," *ASCE, Hazardous, Toxic, and Radioactive Waste Management Practice Periodical*, pp., Reston, VA.
86. Shoenberger, J. E., Rollings, R. S., and Graham, R. T. (1995). "Properties of Microwave Recycled Asphalt Cement Binders," *American Society for Testing and Materials, STP 1241, Physical Properties of Asphalt Cement Binders*, Hardin, J C., ed., pp. 205-213, West Conshohocken, PA.
87. Sotir, R. B. and Grey, D. H. (1989). "Fill Slope Repair Using Soil Bioengineering Systems," *Public Works*, pp. 37-40, December.
88. Stroup-Gardiner, M., Chadbourn, B., and Newcomb, D. E. (1996). "Babbitt, Minnesota: Case Study of Pretreated Crumb Rubber Modified Asphalt Concrete," *Transportation Research Board (TRB), Record No. 1530*, pp. 34-42, National Research Council, Washington, DC.
89. Swearingen, S. and Ginter, D. M. (1998). "Cleaning Up Fuels," *The Military Engineer*, Vol. 90, No. 590, pp. 43-44, Society of American Military Engineers, Alexandria, VA.
90. Taha, R. A. and Pradeep, M. R. (1997). "The Use of Fly Ash-Stabilized Sand Mixtures as Capping Materials for Landfills," *ASTM STP 1275, Testing Soil Mixed with Waste or Recycled Materials*, pp. 172-180, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.
91. Taha, R. A. and Seals, R. (1992a). "Engineering Properties and Potential Uses of By-Product Phosphogypsum," *Proceedings of Utilization of Waste Materials in Civil Engineering Construction*, pp 250-263, American Society of Civil Engineers, New York, NY.
92. Taha, R. A. and Seals, R. (1992b). "The Use of Phosphogypsum-Based Slag Aggregate in Hot-Mix Asphaltic Concrete," *Proceedings of Utilization of Waste Materials in Civil Engineering Construction*, pp 202-216, American Society of Civil Engineers, New York, NY.
93. Taha, R., Seals, R. K., Tittlebaum, M. E., Thornsberry, W., and Houston, J. T. (1992). "Use of By-Product Phosphogypsum in Road Construction," *Transportation Research Board (TRB), Record No. 1345*, pp. 28-35, National Research Council, Washington, DC.
94. Tatlisoz, N., Benson, C. H., and Edil, T. B. (1997). "Effect of Fines on Mechanical Properties of Soil-Tire Chip Mixtures," *ASTM STP 1275, Testing Soil Mixed with Waste or*

Recycled Materials, pp. 93-108, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.

95. Terrel, R. L., Lundy, J. R., and Leahy, R. B. (1994). "Evaluation of Mixtures Containing Waste Materials," Association of Asphalt Paving Technologists (AAPT), *Asphalt Paving Technology 1994*, Volume 63, pp. 22-38, St. Louis, MO.

96. Thirumalai, K. (1992). "Technology Issues for Enhancing Waste Material Utilization in Highway Construction Addressed by the SHRP-IDEA Program," *Utilization of Waste Materials in Civil Engineering Construction*, pp. 1-8, Hilary Inyang and Kenneth Bergeson, American Society of Civil Engineers, NY.

97. Thompson, E. A. and Haas, R. (1992). "Fumes From Asphalt and Leachates from Pavements: Are They Harmful?" Proceedings of the Thirty-Seven Annual Conference of the Canadian Technical Asphalt Association, pp. 47-71, Quebec, Canada.

98. Thoresen, C. (1993). "Composting: Unlocking Markets," *Waste Age Magazine*, September, pp. 75-80, Washington, DC.

99. Todres, H. A., Mishulovich, A., and Ahmad, J. (1992). "Cement Kiln Dust Management: Permeability," Research and Development Bulletin RD 103T, Portland Cement Association, pp. 1-6, Skokie, IL.

100. Troy, K., Sebaaly, P. E., and Epps, J. A. (1996). "Evaluation Systems for Crumb Rubber Modified Binders and Mixtures," Transportation Research Board (TRB), Record No. 1530, pp. 3-10, National Research Council, Washington, DC.

101. Turner, J. P. (1997). "Evaluation of Western Coal Fly Ashes for Stabilization of Low-Volume Roads," ASTM STP 1275, *Testing Soil Mixed with Waste or Recycled Materials*, pp. 157-171, Mark A. Wasemiller and Keith B. Hoddinott, Eds., West Conshohocken, PA.

102. Yrjanson, W. A. (1989). "Recycling of Portland Cement Concrete Pavements," National Cooperative Research Program (NCHRP), Report No. 154, Transportation Research Board, National Research Council, Washington, DC.

103. Wang, M. C., Hull, J. Q., and Jao, M. (1992). "Stabilization of Water Treatment Plant Sludge for Possible Use as Embankment Material," Transportation Research Board (TRB), Record No. 1345, pp. 36-43, National Research Council, Washington, DC.

104. West, R. C., Page, G. C., and Murphy, K. H. (1993). "Evaluation of Crushed Glass in Asphalt Paving Mixtures," ASTM STP 1193, *Use of Waste Materials in Hot-Mix Asphalt*, pp. 117-125, H. Fred Waller, Ed., American Society of Testing and Materials, West Conshohocken, PA.